

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A method for manipulating data from any environment in the world to construct a database that ~~can~~ will be used to generate definitions of the user's physical environment including buildings, terrain and other site parameters, comprising the steps of:

(a) creating and formatting a plurality of objects defining an environment of floors, walls, partitions, buildings, building complexes or compounds, terrain, foliage or other sites or obstructions;

(b) verifying, using a computer, the sufficiency of said plurality of objects to ensure a useful definition of said environment and notifying a user of results of said verification of sufficiency; and

(c) generating a set of formatted data in a form transportable to and usable by a computer based engineering planning model or other application used by the computer or used by another computer, said set of formatted data including at least one layer which includes grouped objects of said plurality of objects.

2. (original) A method as recited in claim 1, said method further comprising at least one of the steps:

(d) inputting existing data, vectors or drawing objects, said existing data, vectors or drawing objects either partially or fully describing said environment; and

(e) removing extraneous drawing objects to simplify said definition of said environment; wherein steps (d) and (e) may be performed before or after step (a), if data exists that fully or partially defines said environment.

3. (original) A method as recited in claim 2, wherein said existing data is in the form of raster files, or in the form of vector files, wherein said raster files are selected from the group consisting of Windows Bitmaps (BMP), Joint Photographic Experts Group format (JPEG), Graphical Interchange Format (GIF), Tagged-Image File Format (TIFF), Targa format (TGA), PICT, and Postscript, and wherein said vector files are selected from the group consisting of AutoCAD (DWG), AutoDesk (DXF), AutoDesk (DWF) and Windows MetaFile (WMF).

4. (currently amended) A method as recited in claim 1, said method further comprising the step of rendering a three-dimensional view of said environment, wherein said step of rendering a three-dimensional view ~~may~~ will be performed at any time after at least one of said plurality of objects has been created.

5. (original) A method as recited in claim 4, wherein said rendering step includes the step of selecting a three-dimensional view of a selected perspective of said environment.

6. (original) A method as recited in claim 1, wherein step (a) further comprises the step of adjusting partition colors, and physical and electrical descriptions of said partitions.

**7.** (original) A method as recited in claim 1, wherein said formatted data defines said environment and each said object is associated with at least one of the group consisting of a specific location in said environment, an attenuation factor, a color, a height, a surface roughness value, a reflectivity value, an electrical value, a mechanical value, and an aesthetic value.

**8.** (original) A method as recited in claim 1, wherein step (b) automatically prompts a user to verify that each piece of necessary information to define said environment has been added to said definition of said environment before executing the verification of said each piece of necessary information, and if said user answers in the negative, prompts said user to enter missing information before proceeding.

**9.** (original) A method as recited in claim 1, wherein said formatted data comprises at least one vectorized drawing of said environment.

**10.** The method as recited in claim 1 further comprising the step of simultaneously converting said grouped objects in said at least one layer to a selected category.

**11.** (original) The method as recited in claim 1 further comprising the step of simultaneously designating dimensions of said grouped objects in said at least one layer.

**12.** (currently amended) An apparatus for manipulating data from any environment in the world to construct a database that ~~can~~ will be used to generate definitions of the user's physical environment including buildings, terrain and other site parameters, comprising:

means for creating and formatting a plurality of objects defining an environment of floors, walls, partitions, buildings, building complexes or compounds, terrain, foliage or other sites or obstructions;

means for verifying, by a computer, the sufficiency of said plurality of objects to ensure a useful definition of said environment and notifying a user of results of said verification of sufficiency; and

means for generating a set of formatted data in a form transportable to and usable by a computer based engineering planning model or other application used by the computer or used by another computer, said set of formatted data including at least one layer which includes grouped objects of said plurality of objects.